




**WALL-MOUNTED
NARROW SCREEN**


WALL-MOUNTED NARROW SCREEN:

WA-I430-WM/ WA-I550-WM

DESCRIPTION

Our 43" and 55" wall-mounted narrow screens offer superior Full HD resolution (1920x1080) for exceptional clarity and vibrant visual performance. With a brightness range of 300-350 cd/m² and a 4000:1 contrast ratio, The wide 89° viewing angle ensures consistent visibility from all directions, making them ideal for high-traffic areas.

Designed to integrate seamlessly into retail, corporate, and hospitality spaces, these sleek, high-performance screens are the perfect solution to elevate your brand's communication, delivering dynamic content with style and precision.



SPECIFICATIONS

Size	43 Inch	55 Inch
Product Name	WA-I430-WM	WA-I550-WM
Display Area	939.8(H)*527.5(W)	1210.1(H)*680.5(W)
Resolution	1920*1080	1920*1080
Proportion	16:9	16:9
Brightness	300~350 cd/m ²	300~350 cd/m ²
Display Color	16.7M	16.7M
Contrast Ratio	4000:1	4000:1
Viewing Angle	89/89/89/89(U/D/L/R)	89/89/89/89(U/D/L/R)

SYSTEM CONFIGURATION

OPS	Android 11	Android 11
CPU	RK3568, Four core, with a maximum frequency of 2.0GHz	RK3568, Four core, with a maximum frequency of 2.0GHz
GPU	Mali-G52 GPU supports OpenGL ES 1.12.0/3.2, OpenCL 2.0,Vulkan 1.1	Mali-G52 GPU supports OpenGL ES 1.12.0/3.2, OpenCL 2.0,Vulkan 1.1
RAM	2G	2G
ROM	On Board 32GB	On Board 32GB
Expand Storage	TF Card	TF Card
Support Video Formats	MPG, AVI, RMVB, MOV, MP4, RM, TS , FLV, MPEG, MKV, WMV	MPG, AVI, RMVB, MOV, MP4, RM, TS, FLV, MPEG, MKV, WMV

Support Image Formats	MP、JPEG、PNG、GIF	MP、JPEG、PNG、GIF
Supports Audio formats	MP3、WAV、WMA	MP3、WAV、WMA
External Ports	HDMI Output、RJ45、USB*2	HDMI Output、RJ45、USB*2

OTHERS

Installation Method	Horizontal/Vertical Wall-mounted	Horizontal/Vertical Wall-mounted
Outline Dimension	963.5mm*553.3mm*67.2mm(Including brackets)	1230.8mm*708.2mm*67.2mm(Including brackets)
Packing Size	1100mm*720mm*155mm	1370mm*860mm*160mm
Net Weight	21Kg	31Kg
Gross Weight	23Kg	33Kg
Input Voltage	AC 110V-240V 50/60HZ	AC 110V-240V 50/60HZ
Power Supply	≤120W	≤180W

APPLICATION



FINANCE



EDUCATION



RETAIL



PROPERTY
MANAGEMENT



RESIDENCIAL



HEALTH CARE



GOVERNMENT



PUBLIC FACILITIES



ENERGY



ENTERPRISE