




WEUHA
SMART SIGNAGE

DIGITAL SIGNAGES

INDOOR FULL SCREEN STANDING KIOSK

75 INCH



DIGITAL SIGNAGES

INDOOR FULL SCREEN STANDING KIOSK

The WEJHA Indoor Full Screen Standing Kiosk is a sleek digital display designed to deliver a fully immersive viewing experience. Its edge-to-edge screen makes content look bold, clear, and highly engaging. Ideal for malls, showrooms, offices, and lobbies, it helps businesses showcase promotions and important messages effectively. With its modern design and easy content updates, it keeps communication fresh and impactful while enhancing the overall customer experience.

KEY FEATURES



ULTRA WIDE RESOLUTION

Delivers exceptional 3840 × 1440 ultrawide clarity with sharp details and vibrant colors for impactful visual communication.



MULTIPLE CONNECTIVITY OPTIONS (HDMI, USB, LAN)

Provides flexible input and networking options for seamless content integration.



FULL-SCREEN SLIM BEZEL DESIGN

Edge-to-edge display with ultra-slim bezels for a modern, immersive viewing experience.



HIGH BRIGHTNESS

Ensures clear and vivid visibility even in bright indoor environments.



COMMERCIAL GRADE PANEL (24/7 OPERATION)

Built for continuous operation with high durability and long-lasting performance.



FLOOR STANDING STABLE BASE DESIGN

Heavy-duty base structure ensures stability and secure placement in high-traffic areas.



SMART REMOTE MANAGEMENT

Seamlessly manage, schedule, and update content in real time using WEJHA CMS.

SPECIFICATIONS

Size	75"
Product Name	WA-I-750-FSS
Dimension	1758*677*84.2mm
Bezel Dimension	30mm
Display Area	617(H)*164.8(W)mm
Resolution	3840*1440
Proportion	16.9
Brightness	400-450nits
Display Color	16.7 M
Viewing Angle	89/89/89/89 (U/D/L/R)
RAM & ROM	4 + 64GB
CPU	RK3588, Octa-core chip, Octa-core 64-bit size core architecture, 4*Cortex-A76 +4*Cortex-A55
GPU	ARM Mali-G610 MC4, OpenGL ES 1.1/2.0/3.1/3.2, Vulkan 1.1,1.2, OpenCL 1.1, 1.2, 2.0,
Support Video Formats	Support MPEG-1, MPEG-2, MPEG-4, H.263, H.264, H.265, VC-1, VP9, VP8, AV1 and other video formats
Support Image Formats	Support JPG, BMP, PNG and other image formats
Support Audio Formats	MP3, WMA, WAV, APE, FLAC, AAC, OGG, M4A, 3GPP and other formats
Touch	Default No (Optional: Infrared/ Capacitive Touch)
Backlight	D - LED
Operating System (OS)	Android 13
Speaker	10W * 2
Operation Hours	24/7 - 50000H Lifetime
Accessories	Power Supply/ Cables/ Remote Control
Net Weight	55kg
Gross Weight	58Kg
Glass	BOE
Input Voltage	AC 110 V - 240 V 50/ 60 HZ
Installation Method	Vertical
Power Supply	≤260W
Packing Size	1840*210*840mm

01

ULTRA HIGH-DEFINITION DISPLAY

The WEJHA Indoor Full Screen Standing Kiosk supports resolutions **up to 3840 × 1440**, delivering crisp detail, sharp visuals, and professional-grade image clarity for impactful digital signage.



1080P
STANDARD




WEJHA
4K ULTRA-HIGH



1080P
STANDARD



WEJHA
4K ULTRA-HIGH



02

CRYSTAL CLEAR DETAILS

With Ultra-High Definition resolution, the display delivers four times the detail of standard 1080p screens, ensuring sharper text, finer visuals, and stunning clarity for professional content.

03

24/7 INDUSTRIAL RELIABILITY

Engineered for continuous operation, featuring a **backlight with a 50,000 hour lifespan**, making it ideal for demanding, high-traffic commercial environments.



STANDARD
DISPLAY



WEJHA
(3840 x1440)



STANDARD
DISPLAY



WEJHA
500-NITS




04

CONSISTENT VISIBILITY

Equipped with a 500-nits D-LED backlight, the display **delivers bright and vivid content**, ensuring optimal visibility across a **wide range of lighting conditions**.

INTERFACE LAYOUT



VIDEO & DISPLAY INTERFACES

- HDMI IN – 1 (Standard port, bottom)
- HDMI OUT – 1 (Top port)
- V-By-One / LVDS – 2 (High-speed display interfaces)
- eDP – 1 (Embedded DisplayPort header)
- EDP_BL / LVDS_BL – 2 (Backlight power for displays)

USB & DATA:

- USB (Standard Type-A) – 4 (Side-mounted ports)
- USB OTG – 2 (For micro/ mini-USB data transfer & flashing)
- EX-USB – 1 (Internal USB expansion header)
- LAN (Ethernet) – 1 (RJ45 port, HD-3588V)
- SATA – 1 (Hard drive data port)
- PCIe-4G – 1 (Supports 4G/LTE modules)

AUDIO:

- AUDIO (3.5mm Jack) – 1 (Main analog output)
- MIC – 1 (Internal microphone header)
- SPK – 1 (Speaker output header)

POWER:

- 12V DC IN – 2 (1 barrel jack + 1 internal header)
- SATA-PWR – 1 (Power output for SATA drive)
- FAN – 1 (Cooling fan power)

STORAGE:


- TF Card (SD) – 1 (MicroSD card slot)

CONTROL / OTHER:

- TTYs (0, 1, 3) – 3 (Serial/UART communication ports)
- GPIO – 1 (General-purpose I/O header block)
- CTP – 1 (Capacitive touch panel interface)
- MCU / DEBUG – 2 (System management & debugging ports)

DIMENSIONS OF THE DEVICES (Unit: mm)

75 INCH



APPLICATION AREAS



SUPER MARKET



CLOTHING STORE



BOOK SHOPS



BEAUTY SHOPS



COLLEGE



BANKING



HOTEL INDUSTRY



EXHIBITIONS



GALLERY



CORPORATE OFFICE




MOVIE THEATER

HAVE MULTIPLE BRANCHES & MULTIPLE SCREENS?

We have one Dynamic Solution.

Manage everything easily with WEJHA CMS (Content Management System) - Smart, Centralized & fully in your control.



FEATURES OF WEJHA CMS



Content Scheduling



Remote Access



Mobile App Control



AI Analytics



Device
Management



Centralized
Management



Cross-Platform OS
Compatibility

WHY WEJHA CMS?



All-in-One
Solution

Streamline your digital signage from a single platform. From creation to monitoring, we simplify the process so you can focus on making an impact.



Highly Scalable

Effortlessly grow from a small shop to a large corporation. Our cloud-based infrastructure makes managing an expanding network of displays simple and hassle-free.



Robust Security

Protect your data with advanced encryption and role-based access. Our high-level protocols ensure your content stays secure and private.



Unparalleled
Support

Stay ahead with expert assistance and continuous updates. We're committed to a seamless experience, keeping your system at the cutting edge.

CONTACT US

EMAIL:

INFO@WEJHA.COM

WEBSITE:

WWW.WEJHA.COM

Scan the QR code
to connect with our team



WHATS APP NUM:

+966 54 352 0500